

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: G07F 5/18	A1	(11) International Publication Number: WO 96/36023 (43) International Publication Date: 14 November 1996 (14.11.96)
(21) International Application Number: PCT/NO96/00109 (22) International Filing Date: 7 May 1996 (07.05.96) (30) Priority Data: 951799 8 May 1995 (08.05.95) NO (71)(72) Applicants and Inventors: KONSMO, Øystein [NO/NO]; Eltonveien 35, N-0586 Oslo (NO). STAFF, Finn [NO/NO]; Ryggs vei 5A, N-0390 Oslo (NO). (74) Agent: ONSAGERS PATENTKONTOR A/S; P.O. Box 265 Sentrum, N-0103 Oslo (NO).	(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>In English translation (filed in Norwegian).</i>	
(54) Title: METHOD OF UPDATING OF PRICES AND DISPLAY OF MESSAGES IN A LOCAL UNIT		
(57) Abstract		
<p>In a local unit for supplying goods and services the prices of the goods and services are remotely set and updated from a central host computer which controls and monitors a system wherein a number of such local units are included. In connection with the setting and updating of prices, especially in connection with sales promotion, the local unit can, on instructions from the host computer, simultaneously display messages concerning prices and products on a display device in the local unit. These messages are stored in a message library in the local unit.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Methods of updating of prices and display of messages in a local unit

The invention concerns a method for remotely setting and updating prices of goods and services in a local unit for sale of goods and services, especially a vending machine, according to the introduction of claim 1, together with a
5 method for generating and displaying messages in a local unit for sale of goods and services, especially a vending machine, according to the introduction of claim 2.

A decentralized system for supplying goods and services, wherein the system comprises a number of local units, especially vending machines, for supplying
10 goods and services, is described in international patent claim PCT/NO95/00060 which concerns a method for monitoring such a decentralized system for supplying goods and services and generating messages concerning the state of the system.

The methods which are employed today for setting prices in vending
15 machines are based on the fact that if the vending machine has an intelligent coin validator or coin changer, the prices in the vending machine unit are set by the use of keys provided on the vending machine or the door thereof or by connecting a hand-held terminal to an input on the vending machine and setting the new prices via the keyboard on the terminal. If the vending
20 machine is equipped with electronic control devices and has a non-intelligent coin unit connected to the control device, the prices can also be set in the control unit in approximately the same fashion as described above.

A drawback with both of these methods is that the prices can only be altered when a person is physically present at the machine. Consequently such
25 methods are both expensive and inflexible.

The object of the invention is therefore to provide a method which permits remote setting of the prices and thereby gives maximum flexibility at the lowest possible cost. A second object of the invention is to provide a method for generating and displaying messages in a local unit or a vending machine,
30 especially in a situation where the prices have been altered or reset, thus enabling a customer to obtain immediate information concerning a commodity or service.

The above-mentioned objects are achieved with a method which is characterized by the features which are disclosed by the characterizing part of claim 1 and a method which is characterized by the features which are disclosed by the characterizing part of claim 2 respectively.

- 5 The invention will now be described in more detail with reference to embodiments.

10 An operator specifies on the host computer the products, i.e. goods and services, which are offered by the vending machine. The price of each product is also specified. Data for product specification and price are downloaded to a system control unit in the vending machine every time a change is made in the product selection or the prices have to be changed. The data in this system control unit will therefore reflect the data which are stored in a data base in a host computer which monitors the vending machine or the local units.

- 15 In the local unit or in the vending machine the system control unit is connected to an intelligent coin unit and/or an electronic control device via a serial interface or bus interface. In the system control unit there is stored a program which emulates the method for setting the price for each individual product in either the coin unit or in the electronic control unit. When new prices are transferred to the system control unit via a data communication network which is employed by the system in order to connect the local units to the host computer, the emulator program starts and the prices in the coin unit or the electronic control unit or both are automatically updated. A wireless data network may advantageously be used as the communication network.
- 20
- 25

- 30 An additional advantage with this method is that the operator can react quickly to market requirements. An example of this is the case where a vending machine is located at a place where special events are taking place, e.g. a sports arena, the operator may wish to offer one or more products at a special price while the event is in progress, or during a short period in the course of the event. This can easily be implemented by using the above-mentioned method.

When a price is altered in a local unit or a vending machine, it will be desirable to make the price known to the public. The same will be the case when the product selection has changed or when a completely new product is offered.

- 5 A number of local units will be equipped with a display device which informs the buyer of the sales prices. The display device can work in various ways. The buyer can, e.g., press a selector key in order to obtain information on the sales price for a specific product. In other cases the vending machine has a display device with a finite number of characters, thus enabling the text to be
10 scrolled over the display unit. In this case the system control unit can be connected to the display device via a serial interface or bus interface in order to transfer information via this interface in a format determined by the display unit. If the local unit or the vending machine does not have a display device which permits scrolling, an external display unit can be mounted on
15 the local unit and connected to the system control unit in a similar manner.

- The system control unit in the local unit will contain a message library with messages which can be displayed on the display device, the message library being remotely updated from the system's host computer. Each message in the message library is assigned a reference number. When a message or a number
20 of messages have to be displayed in the local unit, the operator at the host computer will download a data block to the system control unit in the local unit, the data block containing the message's reference number or reference numbers for more messages, as well as starting and stopping times for when the message or messages have to be displayed. The operator can preset the
25 time for transfer of the data block and also to which local units the data have to be transferred, thus making the physical presence of the operator unnecessary at the host computer to perform this task. Examples of messages which can be mentioned are "New flavour, Coke Light in selection one" and "All products 75 cents until 7 p.m.". In the latter case the operator will
30 download a data block with new prices when the sales promotion starts and thereafter the data block which contains the message's reference number and the starting and stopping times for the message. At the end of the sales promotion the system control unit will reset the prices to the prices before the sales promotion in the intelligent coin unit and/or in the local unit's control
35 device which validates the prices.

PATENT CLAIMS

1. A method for remotely setting and updating prices of goods and services in a local unit for supply of the goods and services, especially a vending machine, wherein the local unit comprises a system control unit which is connected via an interface with an electronic coin unit and/or an electronic control device in the local unit, wherein the local unit is connected via a communication network with an operator-controlled, central host computer which controls and monitors a number of such local units which form part of a decentralized system for supplying the goods and services, and wherein the host computer stores a data base which contains information on the local units, the goods and services offered together with the prices thereof, the method being characterized by implementing an emulator program in the system control unit for setting and updating prices of goods and services, and transferring data for setting and updating of prices of goods and services from the central host computer to the system control unit, whereupon the emulator program therein sets and/or updates the prices in the electronic coin unit and/or the electronic control device which stores and validates the prices for the individual goods and services which are sold by the local unit.
2. A method for generating and displaying messages in a local unit for supply of goods and services, especially a vending machine, wherein the local unit comprises a system control unit which is connected via an interface with an electronic coin unit and/or electronic control device in the local unit, wherein the local unit is connected via a communication network with an operator-controlled, central host computer which controls and monitors a number of such local units which form part of a decentralized system for supplying the goods and services, wherein the host computer stores a data base which contains information on the local units, the goods and services offered together with the prices thereof, wherein the local unit further comprises or is connected with a display device for display of information on the goods or services, and wherein the prices thereof are set and updated by means of the method according to claim 1, the method being characterized by implementing in the system control unit a message library for storing messages for display on the display device, the messages being generated in the central host computer and downloaded to the message library in the system control unit, transferring instructions concerning which message has to be displayed and when it should be

displayed from the host computer to the system control unit, transferring the selected message from the message library in the system control unit to the display device, the display device being connected to the system control unit via an interface, and controlling the duration of the display of the selected message from the system control unit.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO 96/00109

A. CLASSIFICATION OF SUBJECT MATTER		
IPC6: G07F 5/18 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC6: G07F		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
SE,DK,FI,NO classes as above		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	NO 9527242 A2 (KONSMO, OYSTEIN), 12 October 1995 (12.10.95)	1-2

Y	US 5091713 A (HORNE ET AL), 25 February 1992 (25.02.92)	1-2

Y	US 5313569 A (OLSSON ET AL), 17 May 1994 (17.05.94)	1-2

A	US 5212774 A (GRIDER ET AL), 18 May 1993 (18.05.93)	1-2

<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
28 August 1996		29 -08- 1996
Name and mailing address of the ISA/ Swedish Patent Office Box 5055, S-102 42 STOCKHOLM Facsimile No. +46 8 666 02 86		Authorized officer Per-Olof Warnbo Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

31/07/96

International application No.
PCT/NO 96/00109

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A2- 9527242	12/10/95	AU-A- 2225495 NO-A- 941202	23/10/95 02/10/95
US-A- 5091713	25/02/92	NONE	
US-A- 5313569	17/05/94	AU-B- 582195 AU-A- 5017385 CA-A- 1263774 EP-A,B- 0228377 SE-T3- 0228377 JP-T- 62500689 NO-C- 169462 SE-B,C- 441477 SE-A- 8405140 US-A- 5019811 WO-A- 8602477	16/03/89 02/05/86 05/12/89 15/07/87 19/03/87 17/06/96 07/10/85 07/10/85 28/05/91 24/04/86
US-A- 5212774	18/05/93	WO-A- 9006548	14/06/90